



HH 1056554 042002 0300

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: James S. Neumiller, Examiner: Unknown  
Gary D. DeBardi, and  
Patrick F. Kelly  
Serial No.: 10/056,554 Group Art Unit: 2152  
Filed: January 23, 2002 Docket No.: 1023-029US01  
Title: HAZARD MITIGATION IN MEDICAL DEVICE

CERTIFICATE UNDER 37 CFR 1.8. I hereby certify that this correspondence is being deposited with the United States Post Service, as First Class Mail, in an envelope addressed to: Commissioner for Patents, Washington, D C 20231 on

April 16, 2002

By

Samantha J. Rupert

Name: Samantha J. Rupert

BOX MISSING PARTS  
Commissioner for Patents  
Washington, D.C. 20231

COPY OF PAPERS  
ORIGINALLY FILED

Sir:

In response to the Notice to File Corrected Application Papers mailed February 19, 2002, we are transmitting herewith the attached correspondence relating to this application:

- ☒ Transmittal sheet containing Certificate of Mailing
- ☒ Part 2 - Notice to File Corrected Application Papers (1 pg.)
- ☒ 3 sheets of substitute drawings in accordance with 37 CFR §1.84.
- ☒ Return postcard

Date:

4-16-02


By:

Steven J. Shumaker

Name: Steven J. Shumaker

Reg. No.: 36,275

SHUMAKER & SIEFFERT, P.A.  
8425 Seasons Parkway, Suite 105  
St. Paul, Minnesota 55125  
Telephone: 651.735.1100  
Facsimile: 651.735.1102



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/056,554	01/23/2002	James S. Neumiller	1023-029US01

28863  
SHUMAKER & SIEFFERT, P. A.  
8425 SEASONS PARKWAY  
SUITE 105  
ST. PAUL, MN 55125

COPY OF PAPERS  
ORIGINALLY FILED

CONFIRMATION NO. 8831

## FORMALITIES LETTER



\*OC00000007492670\*

Date Mailed: 02/19/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE